



REVISIONS				
ZONE	REV	DESCRIPTION	DATE	APPROVED

HOLE CHART		
SYMBOL	DESCRIPTION	QTY
A	Ø.144 THRU, 82° C'SINK Ø.30 (FAR SIDE)	7
B	Ø.120 THRU, 82° C'SINK Ø.23 (FAR SIDE)	23
C	10X SELF CRIMPING NUT-SERT 8-32 PEM TYPE "T" OR EQUIV. (NEARSIDE)	10
D	Ø.120 THRU	3
E	DRILL AND TAP 6-32 THRU	9

NOTES: UNLESS OTHERWISE SPECIFIED,
 1. DEBURR AND BREAK OFF SHRP EDGES.
 2. BENDING RELIEF - ALL PLACES.

UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN INCHES TOLERANCES ARE: FRACTIONS DECIMALS ANGLES ± .005 ± .000 ±		CONTRACT NO.		POWER ARCHITECTS SAN JOSE, CA, USA	
DO NOT SCALE DRAWING		APPROVALS		DATE	
MATERIAL: 5052-H32 ALUM. .125 THK.		DRAWN: ELJK GERSHENZON		12/03/07	
FINISH: CLEAR ALODINE		CHECKED: ELJK GERSHENZON		12/03/07	
NEXT ASSY USED ON		ISSUED		SIZE: B	FSCM NO.
APPLICATION		SCALE: 94-006ADWG		DWG. NO.: 94-0065	REV. A
				SHEET	